

WIS Cloud AP Access to WIS Cloud V2.0 Setup Guide

1.Register a WIS cloud account

1.1 Open the browser and enter http://ac.wisnetworks.com:8080 to access the WIS cloud server.

Witcloud × +		
← → C ▲ 不安全 ac.wisnetworks.com:8080/ac	counts/login/?next=/ap/ap_index/	ଓ ☆ 🛛 😩 :
		•
	WISCIOUR	
	Login	
	Please input username	
	Please input password	
	Please input cod	
	Login	
	Forget Password Click here to register	

1.2 Click "Click here to register" to register a WIS cloud account.

Login	
Please input username	
Please input password	
Please input cod	DANIS C
	Login



WISNETWORKS LIMITED

Register a n	iew acco	ount	
Username			
wisstone			4
Email			
stone@wisnetv	vorks.com		×
Password		Confirm passw	ord
	Q.		a:
Weak Mec	l <mark>iu</mark> Strong	9	
	Dov	nictor	

Username: You can enter a custom username.

Email: A correct email to receive verification information.

Password: You can enter a custom password.

1.3 Click **Register**, the page will show that the registration is successful and send the verification information to your email.

ac.wisnetworks.c	om:8080 显示
D	0 11 11 11 11

Registration success, after the e-mail activation can login, e-mail is valid for 12 hours

1.4 Login to your email, click the received verification URL or open it through a browser, and the verification is successful.

Welcome to register as our users Please visit the following link to complete the verification ac.wisnetworks.com:8080/activate/Indpc3N0b25IIg.FScePQ.rDZgpsx1A_oR6Rb_fZdVV5jLlwg

ac.wisnetworks.com:8080 显示

Verification is successful



2. Add and manage WIS cloud APs

2.1 Set the WIS cloud AP

1. Set PC and set IP address as 192.168.1.x (x is 1-254 except 2, to make sure no conflict with other IP in the network.)

- Run Web browser, input http://192.168.1.2:8888 (default IP address) and enter.
- Enter default username: **admin**, password: **admin** (You can change this password after entering the system) , and then click Login to the software system.

Note : If your AP gets its IP from a router, please login to the router to check the IP address of the cloud AP.

	0 - 8 -
	야 ☆ 🛓
Please enter your username and password. Username admin	
Password	
Login	
X	
	Please enter your username and password. Username admin Password Language English Login

2. Click "System" in the menu to enter the system interface and modify the Cloud Controller Address to 'ac.wisnetworks.com'.

S Wireless Device	× (+)	and the second sec	
← → C ▲ 不安全 192	.168.1.2:8888/cgl-bin/luci/;stok=2f7bc1753d6ef0e48c880213e37702	ab/admin/system	\$ 😩 i
	Status Network Wireless System		
	rioautorite		
System	Language	English v	
💄 Management	AP Mode	FitAP 🗸	
Firmware	Timezone	Asia/Shanghai 🗸	
O Reboot			
	Time Synchronization		
	Enable NTP client		
	Provide NTP server		
	NTP server candidates	ntp1allyun.com = ntp2.allyun.com = O.cn.pool.ntp.org +	
	Wireless Terminal Endpoint		_
	Cloud Controler Address	ac wisnetworks.com	
C+ Logout	Save & Apply Save Reset		

3. Finally reboot the AP.



WISNETWORKS LIMITED

	Status	Network	Wireless	System	
 System Management Firmware Reboot 	Systen Reboots the Restore Dev	n Device Ice to Factory			Rebot
🕞 Logout					
	Status	Network	Wireless	System	
 System Management Firmware Reboot 	Syster Reboot Please wait: 3%	Device rebooting	Ĵ		

After the AP restarts, please confirm that the AP can access the Internet normally.

2.2 Add AP to WIS cloud server.

Use the registered cloud account to login to the WIS cloud server.





Click the AP menu, and then click Add to add AP

← → C ▲ 不安全 ac.w	isnetworks.com:8080/ap-list/							
WISCloud	Home / ⊟ AP							🧖 wisstone
🖵 Overview 🗸 🗸								-
🖨 AP 🗸 🗸	🖨 Managed AP						+ Add	+ Import + Export
AP	Dispaly 10 V Records	All Online	Offline			MAC 🗌 CPU Refresh		Search :
AP Group	Name/MAC Address	IP Address	Status	Upload	Download	FW Version	Last Heartbeat	Group Name
Wlan Config								
User Policy					The data in the table is	empty		
Guest Config								
User Info	Showing 0 to 0 of 0 entries							¢
🖬 Support 🗸 🗸 🗸								

Status Network V	Vireless System			
Chatria				
Status				
System				
Device Name:	WCAP-AC-S	Timezone:	CST-8	CPU Usage:
Serial Number:	23002520100021	Local Time:	2022-03-31 19:32:46	Memory Usage:
Firmware Version:	7.07.29.221008	Uptime:	2 min	Flash Usage:
AP Mode:	FitAP	MAC:	a0:a3:b8:0e:4b:80	
Network				
Type:	dhcp	Address:	192.168.188.166	Netmask:
LAN Port:	eth0	Rx:	69265	Tx:

Enter the name (can be customized), AP serial number and MAC address. (You can get the AP serial number and MAC from the AP's status page)

Add		×
Name	wisap1	
Serial Number	23002520100021	
MAC Address:	a0:a3:b8:0e:4b:80	

Click **OK**, the system will show that added successful.

ac.wisnetworks.com:8080 显示	
Added successfully	



WISNETWORKS LIMITED

Finally, you can see that the AP is already online.

← → C ▲ 不安全 ac.v	wisnet	works.com:8080/ap-list/							
WISCIOUD	4	Home / 🖨 AP							👰 wisstone
➡ Overview ~									
🖨 AP 🗸 🗸		Managed AP						+ Add	+ Import + Export
AP		Dispaly 10 V Records	Online Offline	í			MAC 🗌 CPU Refresh		Search :
AP Group		Name/MAC Address	IP Address	Status	Upload	Download	FW Version	Last Heartbeat	Group Name
Wlan Config		wisap1	1 4.157.106.177:6721	Online	2КВ	ЗКВ	7.07.29.221008	2022-03-31 19:54:29	wisstone/wisstone
User Policy									
Guest Config		Showing I to I of I entries							<
User Info									